Brain Research, 542 (1991) 358–360
Elsevier

Author Index

Aicher, S.A., Lewis, S.J. and Randich, A., Antinociception produced by electrical stimulation of vagal afferents: independence of cervical and subdiaphragmatic branches, 63
Alberch, J., Carman-Krzan, M., Fabrazzo, M. and Wise, B.C., Chronic treatment with scopolamine and physostigmine changes nerve growth factor (NGF) receptor density and NGF content in rat brain, 233
Austin, M.C. and Kalvivas, P.W., Dopaminergic involvement in locomotion elicited from the ventral pallidum/substantia innominata, 123

Bagdy, G., see Szemeredi, K., 8
Beal, M.F., see Uemura, Y., 343
Belford, D.A., see Hendry, I.A., 29
Ben-Ari, Y., see Zini, S., 151
Berman, R.F., see Lupica, C.R., 55
Biggio, G., see Concas, A., 225
Black, I.B., see Kornack, D.R., 171
Blitzer, R.D., Gil, O., Omri, G. and Landau, E.M., Nifedipine blocks calcium-dependent cholinergic depolarization in the guinea pig hippocampus, 293
Bolin, L.M., see Van Eldik, L.J., 280
Brandão, M.L., Rees, H., Witt, S. and Roberts, M.H.T., Central antiaversive and antinociceptive effects of anterior pretectal nucleus stimulation: attenuation of autonomic and aversive effects of medial hypothalamic stimulation, 266
Braszko, J.J., Wlasienko, J., Kozlkiewicz, W., Janecka, A. and Wisniewski, K., The 3-7 fragment of angiotensin II is probably responsible for its psychoactive properties, 49
Brody, M.J., see Meller, S.T., 212
Brown, M.R., see Costello, J.F., 77
Burke, W.J., see Strong, R., 23
Butler, K., see De la Torre, J.C., 71

Cabib, S. and Puglisi-Allegra, S., Genotype-dependent effects of chronic stress on apomorphine-induced alterations of striatal and mesolimbic dopamine metabolism, 91
Carman-Krzan, M., see Alberch, J., 233
Castro-Lopes, J.M. and Coimbra, A., Spinal cord projectons of the rat main forelimb nerves, studied by transganglionic transport of WGA–HRP and by the disappearance of acid phosphatase, 187
Chesler, M., see Sakatani, K., 273
Chi, O.Z., see Russo, K.E., 43
Christie-Pope, B., see Van Eldik, L.J., 280
Chung, H.D., see Strong, R., 23
Clement, M.E. and McCall, R.B., Pharmacological characterization of medullary serotonin neurons, 205
Coimbra, A., see Castro-Lopes, J.M., 187
Concas, A., Santoro, G., Serra, M., Sanna, E. and Biggio, G., Neurochemical action of the general anaesthetic propofol on the chloride ion channel coupled with $GABA_A$ receptors, 225
Costello, J.F., Brown, M.R. and Gray, T.S., Bombesin immunoreactive neurons in the hypothalamic paraventricular nucleus innervate the dorsal vagal complex in the rat, 77
Cowell, P.E., see Fitch, R.H., 313
Coyle, J.T., see Yamada, K., 132
Crestani, F., Seguy, F. and Dantzer, R., Behavioural effects of peripherally injected interleukin-1: role of prostaglandins, 330

Dantzer, R., see Crestani, F., 330
De la Torre, J.C., Saunders, J., Fortin, T., Butler, K. and Richard, M., Return of ATP/PCr and EEG after 75 min of global brain ischemia, 71
De Souza, E.B., see Heroux, J.A., 155
Denenberg, V.H., see Fitch, R.H., 313
Denton, D.A., see Tarjan, E., 219
Dougherty, P.M. and Willis, W.D., Modification of the responses of primate spinothalamic neurons to mechanical stimulation by excitatory acids and an *N*-methyl-D-aspartate antagonist, 15

Ebinger, G., see Herregodts, P., 300
Erdö, S.L., Michler, A. and Wolff, J.R., GABA accelerates excitotoxic cell death in cortical cultures: protection by blockers of GABA-gated chloride channels, 254

Fabrazzo, M., see Alberch, J., 233
Fahrenkrug, J., see Nilsson, C., 241
Feldman, S., see Weidenfeld, J., 201
Fink-Jensen, A. and Mikkelsen, J.D., A direct neuronal projection from the entopeduncular nucleus to the globus pallidus. A PHA-L anterograde tracing study in the rat, 175
Fitch, R.H., Cowell, P.E., Schrott, L.M. and Denenberg, V.H., Corpus callosum: ovarian hormones and feminization, 313
Flügge, G., see Pinto, J.E.B., 35
Fortin, T., see De la Torre, J.C., 71

Gebhart, G.F., see Meller, S.T., 212
Geffard, M., see Rajaofetra, N., 159
Geiger, J.D., see Padua, R.A., 135
Gil, O., see Blitzer, R.D., 293
Goldberg, S.R., see Marley, R.J., 1
Goldstein, D.S., see Szemeredi, K., 8
Gramlich, C.A., see Stripling, J.S., 107
Gray, T.S., see Costello, J.F., 77
Grigoriadis, D.E., see Heroux, J.A., 155

Hale, C., see Strong, R., 23
Hall, W., see Russo, K.E., 43
Harper, R.M., see Richard, C.A., 167
Hassan, A.Z., see Sakatani, K., 273
Hendry, I.A. and Belford, D.A., Retinoic acid potentiates the neurotrophic but not the mitogenic action of the class 1 heparin-binding growth factor (HBGF-1), 29
Heroux, J.A., Grigoriadis, D.E. and De Souza, E.B., Age-related decreases in corticotropin-releasing factor (CRF) receptors in rat brain and anterior pituitary gland, 155
Herregodts, P., Ebinger, G. and Michotte, Y., Distribution of monoamines in human brain: evidence for neurochemical heterogeneity in subcortical as well as in cortical areas, 300
Hilakivi-Clarke, L.A., Turkka, J., Lister, R.G. and Linnoila, M., Effects of early postnatal handling on brain β-adrenoceptors and behavior in test related to stress, 286
Huang, J.S., see Strong, R., 23
Huang, S.A., see Strong, R., 23

Janecka, A., see Braszko, J.J., 49
Jarvis, M.F., see Lupica, C.R., 55
Jian-Tian, Q., see Zhi-Hua, Z., 248

Kahidian, P., see Rajaofetra, N., 159
Kalivas, P.W., see Austin, M.C., 123
Keiser, H.R., see Szemeredi, K., 8
Kelly, P.A.T., see Sharkley, J., 147
Kochhar, A., Saitoh, T. and Zivin, J., Spinal chord ischemia reduces calcium/calmodulin-dependent protein kinase activity, 141
Komoly, S., see Szemeredi, K., 8
Kopin, I.J., see Szemeredi, K., 8
Kornack, D.R., Lu, B. and Black, I.B., Sexually dimorphic expression of the NGF receptor gene in the developing rat brain, 171
Kowall, N.W., see Uemura, Y., 343
Kozlkiewicz, W., see Braszko, J.J., 49
König, N., see Rajaofetra, N., 159

Landau, E.M., see Blitzer, R.D., 293
Lewis, S.J., see Aicher, S.A., 63
Lewis, S.J., see Meller, S.T., 212
Lindvall-Axelsson, M., see Nilsson, C., 241
Linnoila, M., see Hilakivi-Clarke, L.A., 286
Lister, R.G., see Hilakivi-Clarke, L.A., 286
Lorente, M.J., see Villeta, E., 353
Lothman, E.W., see Stringer, J.L., 336
Lu, B., see Kornack, D.R., 171
Luiten, P.G.M., see Van der Zee, E.A., 348
Lupica, C.R., Jarvis, M.F. and Berman, R.F., Chronic theophylline treatment in vivo increases high affinity adenosine A1 receptor binding and sensitivity to exogenous adenosine in the in vitro hippocampal slice, 55

Marley, R.J., Witkin, J.M. and Goldberg, S.R., Genetic factors influence changes in sensitivity to the convulsant properties of cocaine following chronic treatment, 1
Marlier, L., see Rajaofetra, N., 159

Martínez García, F., see Villeta, E., 353
Mattson, M.P., Rychlik, B., You, J.S. and Sisken, J.E., Sensitivity of cultured human embryonic cerebral cortical neurons to excitatory amino acid-induced calcium influx and neurotoxicity, 97
McAfee, D.A., see Wu, R., 324
McBean, D.E., see Sharkley, J., 147
McCall, R.B., see Clement, M.E., 205
McKenna, D.G., see Wu, R., 324
McKinley, M.J., see Oldfield, B.J., 193
McLaughlin, P.J., see Zagon, I.S., 318
Meller, S.T., Lewis, S.J., Ness, T.J., Brody, M.J. and Gebhart, G.F., Neonatal capsaicin treatment abolishes the nociceptive responses to intravenous 5-HT in the rat, 212
Michler, A., see Erdö, S.L., 254
Michotte, Y., see Herregodts, P., 300
Mikkelsen, J.D., see Fink-Jensen, A., 175
Miselis, R.M., see Oldfield, B.J., 193

Nagata, Y., see Tamaru, M., 83
Nagy, J.I., see Padua, R.A., 135
Nakamura, M., see Okuno, E., 307
Nakamura, T., Tsujimura, R. and Nomura, J., Interaction between α_2- and β-adrenergic receptors in rat cerebral cortical membranes: clonidine-induced reduction in agonist and antagonist affinity for β-adrenergic receptors, 181
Nazarali, A.J., see Pinto, J.E.B., 35
Ness, T.J., see Meller, S.T., 212
Nilsson, C., Fahrenkrug, J., Lindvall-Axelsson, M. and Owman, C., Epithelial cells purified from choroid plexus have receptors for vasoactive intestinal polypeptide, 241
Nomura, J., see Nakamura, T., 181

Ogita, K., see Tamaru, M., 83
Okuno, E., Nakamura, M. and Schwarcz, R., Two kynurenine aminotransferases in human brain, 307
Oldfield, B.J., Miselis, R.M. and McKinley, M.J., Median preoptic nucleus projections to vasopressin-containing neurones of the supraoptic nucleus in sheep. A light and electron microscopic study, 193
Omri, G., see Blitzer, R.D., 293
Owman, C., see Nilsson, C., 241

Padua, R.A., Wan, W., Nagy, J.I. and Geiger, J.D., [^{3}H]Ryanodine binding sites in rat brain demonstrated by membrane binding and autoradiography, 135
Patneau, D.K., see Stripling, J.S., 107
Pinto, J.E.B., Flügge, G., Viglione, P.N., Torda, T., Nazarali, A.J. and Saavedra, J.M., Increased β_2-adrenoceptors in the superior cervical ganglia of genetically hypertensive rats, 35
Poulat, P., see Rajaofetra, N., 159
Privat, A., see Rajaofetra, N., 159
Puglisi-Allegra, S., see Cabib, S., 91

Rajaofetra, N., Kahidian, P., Marlier, L., Poulat, P., König, N., Geffard, M. and Privat, A., Electromicroscopic detection of the axonal coexistence of serotonin and substance P in B1-B2 raphé cells transplanted into the transected spinal cord of adult rats, 159
Randich, A., see Aicher, S.A., 63
Rees, H., see Brandão, M.L., 266
Richard, C.A. and Harper, R.M., Respiratory-related activity in hypoglossal neurons across sleep–waking states in cats, 167
Richard, M., see De La Torre, J.C., 71
Roberts, M.H.T., see Brandão, M.L., 266
Roisin, M.-P., see Zini, S., 151
Russo, K.E., Hall, W., Chi, O.Z., Sinha, A.K. and Weiss, H.R., Effect of amphetamine on cerebral blood flow and capillary perfusion, 43
Rychlik, B., see Mattson, M.P., 97

Saavedra, J.M., see Pinto, J.E.B., 35
Saitoh, T., see Kochhar, A., 141
Sakatani, K., Chesler, M. and Hassan, A.Z., $GABA_A$ receptors modulate axonal conduction in dorsal columns of neonatal rat spinal cord, 273
Saltarelli, M.D., see Yamada, K., 132
Sanna, E., see Concas, A., 225
Santoro, G., see Concas, A., 225
Saunders, J., see De La Torre, J.C., 71
Schrott, L.M., see Fitch, R.H., 313
Schröder, H., see Van der Zee, E.A., 348
Schwarcz, R., see Okuno, E., 307
Seguy, F., see Crestani, F., 330
Serra, M., see Concas, A., 225
Sharkley, J., McBean, D.E. and Kelly, P.A.T., Cerebrovascular responsiveness to hypercapnia in intracerebral tissue transplants, 147
Shimizu, J., see Tamaru, M., 83
Shooter, E.M., see van Eldik, L.J., 280
Sinha, A.K., see Russo, K.E., 43
Sisken, J.E., see Mattson, M.P., 97
Streefland, C., see Van der Zee, E.A., 348
Stringer, J.L., Williamson, J.M. and Lothman, E.W., Maximal dentate activation is produced by amygdala stimulation in unanesthetized rats, 336
Stripling, J.S., Patneau, D.K. and Gramlich, C.A., Characterization and anatomical distribution of selective long-term potentiation in the olfactory forebrain, 107
Strong, R., Huang, J.S., Huang, S.A., Chung, H.D., Hale, C. and Burke, W.J., Degeneration of the cholinergic innervation of the locus ceruleus in Alzheimer's disease, 23
Strosberg, A.D., see Van der Zee, E.A., 348
Szemeredi, K., Komoly, S., Kopin, I.J., Bagdy, G., Keiser, H.R. and Goldstein, D.S., Simultaneous measurement of plasma and brain extracellular fluid concentrations of catechols after yohimbine administration in rats, 8
Szerb, J.C., Glutamate release and spreading depression in the fascia dentata in response to microdialysis with high K+: role of glia, 259

Tamaru, M., Yoneda, Y., Ogita, K., Shimizu, J. and Nagata, Y., Age-related decreases of the *N*-methyl-D-aspartate receptor complex in the rat cerebral cortex and hippocampus, 83
Tarjan, E., Denton, D.A. and Weisinger, R.S., Corticotropin-releasing factor enhances sodium and water intake/excretion in rabbits, 219
Teruel, V., see Villeta, E., 353
Torda, T., see Pinto, J.E.B., 35
Tremblay, E., see Zini, S., 151
Tsujimura, R., see Nakamura, T., 181
Turkka, J., see Hilakivi-Clarke, L.A., 286

Uemura, Y., Kowall, N.W. and Beal, M.F., Global ischemia induces NMDA receptor-mediated c-fos expression in neurons resistant to injury in gerbil hippocampus, 343

Van der Beek, E.M., see Van Leeuwen, F.W., 163
Van der Zee, E.A., Streefland, C., Strosberg, A.D., Schröder, H. and Luiten, P.G.M., Colocalization of muscarinic and nicotinic receptors in cholinoceptive neurons of the suprachiasmatic region in young and aged rats, 348
Van Eldik, L.J., Christie-Pope, B., Bolin, L.M., Shooter, E.M. and Whetsell, W.O., Neurotrophic activity of S-100β in cultures of dorsal root ganglia from embryonic chick and fetal rat, 280
Van Leeuwen, F.W. and Van der Beek, E.M., The amount of mutant vasopressin precursor in the supraoptic and paraventricular nucleus of Brattleboro rats increases with age, 163
Viglione, P.N., see Pinto, J.E.B., 35
Villeta, E., Teruel, V., Lorente, M.J. and Martínez García, F., Organization of the anterior dorsal ventricular ridge of the lizard *Podarcis hispanica*: cytoarchitecture and GABA-immunohistochemistry, 353

Wan, W., see Padua, R.A., 135
Weidenfeld, J. and Feldman, S., Effect of hypothalamic norepinephrine depletion on median eminence CRF-41 content and serum ACTH in control and adrenalectomized rats, 201
Weisinger, R.S., see Tarjan, E., 219
Weiss, H.R., see Russo, K.E., 43
Whetsell, W.O., see Van Eldik, L.J., 280
Williamson, J.M., see Stringer, J.L., 336
Willis, W.D., see Dougherty, P.M., 15
Wise, B.C., see Alberch, J., 233
Wisniewski, K., see Braszko, J.J., 49
Witkin, J.M., see Marley, R.J., 1
Witt, S., see Brandão, M.L., 266
Wlasienko, J., see Braszko, J.J., 49
Wolff, J.R., see Erdö, S.L., 254
Wu, R., McKenna, D.G. and McAfee, D.A., Age-related changes in the synaptic plasticity of rat superior cervical ganglia, 324

Yamada, K., Saltarelli, M.D. and Coyle, J.T., Effects of calmodulin antagonists on sodium-dependent high-affinity choline uptake, 132
Yi-Fang, X., see Zhi-Hua, Z., 248
Yoneda, Y., see Tamaru, M., 83
You, J.S., see Mattson, M.P., 97

Zagon, I.S. and McLaughlin, P.J., Identification of opioid peptides regulating proliferation of neurons and glia in the developing nervous system, 318
Zhi-Hua, Z., Yi-Fang, X. and Jian-Tian, Q., Effects of stimulation of superior colliculus on nociceptive unit discharges in parafascicular neurons and nocifensive reflex of hind limb in rat, 248
Zini, S., Tremblay, E., Roisin, M.-P. and Ben-Ari, Y., Two binding sites for [^{3}H]-glibenclamide in the rat brain, 151
Zivin, J., see Kochhar, A., 141

Erratum

Picaud, S., Peichl, L. and Franceschini, N., Dye-induced 'photo-degeneration' and 'photo-permeabilization' of mammalian neurons in vivo, *Brain Research,* 531 (1990) 117–126.

Through an unfortunate misunderstanding Figures 3 en 5 have been interchanged in the above-cited article. The figure on page 120 should really be on page 122, while the figure on page 122 should be on page 120.

The publisher apologizes for any inconveniences this error may have caused.

(contents continued)

Short Communications

Global ischemia induces NMDA receptor-mediated c-fos expression in neurons resistant to injury in gerbil hippocampus
Y. Uemura, N.W. Kowall and M.F. Beal (U.S.A.) 343
Colocalization of muscarinic and nicotinic receptors in cholinoceptive neurons of the suprachiasmatic region in young and aged rats
E.A. van der Zee, C. Streefland, A.D. Strosberg, H. Schröder and P.G.M. Luiten (The Netherlands, France, Germany) 348
Organization of the anterior dorsal ventricular ridge of the lizard *Podarcis hispanica:* cytoarchitecture and GABA-immunohistochemistry
E. Villeta, V. Teruel, M.J. Lorente and F. Martínez-García (Spain) 353

Author Index 358

Erratum 360